

[Web](#) [Images](#) [Videos](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more](#) ▼

[Web History](#) | [Search settings](#) | [Sign in](#)


Google

Google

map data product and mesh-like subdivisions

Search

[Advanced Search](#)



Web

Results 1 - 10 of about **8,400** for **map data product and mesh-like subdivisions**. (0.29 seconds)



[Show options...](#)

1. [Neighborhoods](#) [Map Data](#)

[Sponsored Link](#)

[www.maponics.com](http://www.maponics.com) Top Source of Neighborhoods **Data** for Mapping, Analysis & Search.

1. [MAP DATA PRODUCT AND MAP DATA PROCESSOR - Patent EP1548686](#)

by T Nomura - 2005 - [All 6 versions](#)

A **data product** that can be read into a computer or a **map data** processing ... by dividing the **map** into a plurality of **mesh-like subdivisions** and dividing the ...

[www.freepatentsonline.com/EP1548686.html](http://www.freepatentsonline.com/EP1548686.html)

2. [Xanavi Informatics Corporation](#)

A **data product** that can be read into a computer or a **map data** processing ... by dividing the **map** into a plurality of **mesh-like subdivisions** and dividing the ...

[www.patents.com/Xanavi-Informatics.../JP/.../company/](http://www.patents.com/Xanavi-Informatics.../JP/.../company/) - [Cached](#) - [Similar](#)

3. [System, method, and program \*\*product\*\* for extracting a ...](#)

A **map**  $\phi: A \rightarrow B$  is said to constitute a homeomorphism between A and B if it is ... shows a piece of a manifold and looks **like** the flat two-dimensional Euclidean space. ... If given a semi-regular **mesh**, i.e., a **mesh** with **subdivision** connectivity, .... 1 is one example and simplified block diagram of a preferred **data** ...

[www.patentstorm.us/patents/7267250/description.html](http://www.patentstorm.us/patents/7267250/description.html)

4. [Open Source GIS](#)

Hierarchical Triangular **Mesh** "The Hierarchical Triangular **Mesh** (HTM) is a ... It is a hierarchical scheme and the **subdivisions** have not exactly, but roughly equal areas. .... the dissemination of geospatial **data products** over any TCP/IP network, .... The SAGA API supports grid **data like** digital terrain models and ...

[opensourcegis.org/](http://opensourcegis.org/) - [Cached](#) - [Similar](#)

5. [GPU Gems - Chapter 7. Adaptive Tessellation of \*\*Subdivision\*\* ...](#)

A displacement **map** is a texture **map** containing a scalar value per texel that ... The control **mesh** does not need any normal and tangent **data**, **like** polygon models, ... and sellers to distinguish their **products** are claimed as trademarks. ...

[http://developer.nvidia.com/.../gpugems2\\_chapter07.html](http://developer.nvidia.com/.../gpugems2_chapter07.html) - [Cached](#) - [Similar](#)

#### 6. [Sculpted Prim Exporter for AC3D - Documentation](#)

All three shapes are mapped correctly and have **subdivisions** set. ... a smooth surface by using flat surfaces as a control **mesh**, much **like** control nodes can be used ... applied to the **data** (all textures are converted into jpeg2000 format). ... At maximum resolution, a 32x32 pixel Sculpt **Map** would describe up to 1024 ...

[www.ccccybernetics.com/](http://www.ccccybernetics.com/) - [Cached](#) - [Similar](#)

#### 7. [Product design using point-cloud surfaces: A recursive subdivision ...](#)

by P Azariadis - 2007 - [Cited by 1](#) - [Related articles](#)

Furthermore, modern **data**-acquisition devices produce very dense or "thick" ... The above issues hinder modern design-technologies **like** virtual ... Many parameterization methods employ an underlying 3D triangle **mesh** and, .... The obtained 2D triangulation is tested against the 3D **mesh**: The colour **map** of Fig. ...

[linkinghub.elsevier.com/retrieve/pii/S0166361507000528](http://linkinghub.elsevier.com/retrieve/pii/S0166361507000528) - [Similar](#)

#### 8. [Density and Contour Plots - Wolfram Mathematica Documentation Center](#)

**Data Analysis & Mining ... Product Registration · Technical Support · Customer Service ...** MaxRecursion · Automatic, the maximum number of recursive **subdivision** steps to do. Some options for DensityPlot. You can include a **mesh like** this. ... A contour plot gives you essentially a "topographic **map**" of a function. ...

[reference.wolfram.com/.../DensityAndContourPlots.html](http://reference.wolfram.com/.../DensityAndContourPlots.html) - [Cached](#) - [Similar](#)

#### 9. [Digital Shape Workbench - Glossary](#)

Complex objects can be seen as the arrangement of tubular-**like** components, ... **map** guarantees C1 continuity of the **subdivision** surface at that vertex. ... work together and share **data** throughout all phases of the **product** life cycle. ... **mesh** is a simplicial **mesh** such that the intersection of any two simplices is ...


[dsw.aimatshape.net/glossary/glossary2.jsp?letter=C](http://dsw.aimatshape.net/glossary/glossary2.jsp?letter=C) - [Cached](#)

#### 10. [Variational Design with Parametric Meshes of Arbitrary Topology](#)

by L Kobbelt - 1997 - [Cited by 9](#) - [Related articles](#)

between adjacent edges (discrete exponential **map**) 15, 10]. .... Notice that the influence of one control vertex in a tensor **product mesh** is always ... or post-processing of measured **data**. It can also be used to visualize .... resolution techniques **like** **subdivision** schemes but could also be a by-**product** of **mesh** ...

[citeseerx.ist.psu.edu/viewdoc/download?doi=10.1.1.54.8956&rep...](http://citeseerx.ist.psu.edu/viewdoc/download?doi=10.1.1.54.8956&rep...)



map data product and mesh-like subdivisions

Search

[Search within results](#) - [Language Tools](#) - [Search Help](#) - [Dissatisfied? Help us improve](#) - [Try Google Experimental](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Privacy](#) - [About Google](#)